

IN THE CLAIMS:

Please amend Claims 1, 4-8, 11, 12, and 16 as follows. Note that all claims currently pending in the application are being reproduced below for the Examiner's convenience.

a4 1. (Currently Amended) A printing apparatus including transporting means for transporting a print medium relative to printing means for printing an image on a print ~~sheet~~ medium, the apparatus comprising:

vibrating means for vibrating said transporting means,

wherein said vibrating means vibrate said transporting means before the printing means start a printing operation;

wherein said printing apparatus performs a transportation by said transporting means and a printing by said printing means in sequence; and

wherein said vibrating means vibrates said transporting means after said transporting means completes a transportation and before said printing means starts a printing.

2. (Original) A printing apparatus according to claim 1, wherein said transporting means comprises a movable member installed so as to move or stop relative to a travel path for the print medium, and said movable member contracts, while moving, with the print medium in said travel path to transfer the print medium, and is held, while stopped, at a predetermined stabilized position normally.

3. (Original) A printing apparatus according to claim 1, wherein said transporting means comprises a pair of rollers installed in the travel path for the print medium and opposite each other, roller urging means for urging said pair of rollers so that the rollers sandwich the print medium therebetween, and driving means for rotationally driving at least one of said pair of rollers.

ant  
af  
4. (Currently Amended) A printing apparatus according to claim 3, wherein said pair of rollers comprises a transportation roller located upstream of the printing means in a transporting direction thereof and driven by a predetermined driving means, and a pinch roller that rotates in connection with the transportation roller.

5. (Currently Amended) A printing apparatus according to claim 1, wherein said vibrating means is a carriage having the printing means mounted thereon and reciprocated in a direction crossing a direction in which the print medium is transported, and wherein the carriage vibrates said transporting means for traveling without performing a printing.

6. (Currently Amended) A printing apparatus according to claim 5, wherein said vibrating means ~~carriage~~ vibrates the transporting means by performing at least one reciprocation ~~reversing operation~~.

7. (Currently Amended) A printing apparatus according to claim 1, further comprising a pressure plate that ~~elastically~~ supports the print medium, ~~using elastic force of a~~

~~predetermined elastomer, and a sheet feeding roller that feeds print medium supported and laminated on the said pressure plate, and a spring for pressuring a print medium supported by said pressure plate onto said feeding roller, to said transporting means, and in that:~~

~~wherein said vibrating means is composed of pressure releasing means for placing a space between said pressure plate and said sheet feeding roller against the force of said spring; and pressing and releasing said pressure plate.~~

~~wherein said releasing means places a space between said pressure plate and said sheet feeding roller against the force of said spring after said sheet feeding roller completes feeding of the print medium, and after said transporting means completes a transportation and before said printing means starts a printing, a releasing operation is stopped temporarily, the print medium abuts against the sheet feeding roller and then a space is placed therebetween again.~~

8. (Currently Amended) A printing apparatus according to claim 7, wherein said pressure plate is movable in a ~~installed so as to move~~ forward and backward direction relative to said sheet feeding roller, wherein the forward and backward movement is carried out in connection with a sheet feeding operation performed by said sheet feeding roller, and while said pressure releasing means is performing a pressing or releasing operation, the driving of said ~~pressure plate in connection with said sheet feeding roller~~ is interrupted.

9. (Original) A printing apparatus according to claim 4, further comprising a pinch roller holder that rotatably supports said pinch roller and holder moving means for

moving the pinch roller holder, and in that said vibrating means comprises said holder moving means.

10. (Original) A printing apparatus according to claim 4, wherein said vibrating means vibrates said transporting means after at least a back end of the print medium has passed through an abutted portion between said transportation roller and said pinch roller.

Cont  
44  
11. (Currently Amended) A printing apparatus according to claim 4, further comprising detection means for detecting a position at which said transportation roller is stopped, and if it is detected that said transportation roller stopped position is deviate from a desired one after said vibrating means has vibrated the transporting means, then said transportation roller stopped position is corrected before a print head performs a printing operation.

12. (Currently Amended) A printing apparatus according to claim 4, further comprising detection means for detecting a position at which said transportation roller is stopped, and if it is detected that said transportation roller stopped position is deviate from a desired one after said vibrating means has vibrated the transporting means, then printing is carried out by shifting an operative portion of the printing means in the transporting direction depending on the amount of the positional deviate.

13. (Original) A printing apparatus according to claim 11, wherein said detection means comprises a signal generator that generates pulse signals the number of which

corresponds to rotation of said transportation roller, and counting means for counting the number of signals from the signal generator.

14. (Original) A printing apparatus according to claim 12, wherein said detection means comprises a signal generator that generates pulse signals the number of which corresponds to rotation of said transportation roller, and counting means for counting the number of signals from the signal generator.

cent  
est  
15. (Original) A printing apparatus according to claim 1, wherein said printing means uses thermal energy to generate bubbles in ink so that energy generated by the bubbles causes the ink to be ejected.

16. (Currently Amended) A printing method performed by an apparatus which includes transporting means for transporting a print medium relative to printing means for performing a printing an image on a print sheet, and in which the printing by the printing means and the transportation by the transporting means are performed sequence, and which uses said ~~transporting means to transport the print medium after the printing means has performed a printing operation,~~ the method comprising a step of:

vibrating said transporting means after the transporting means completes the transportation and before the printing means start starts the printing operation.

17. (Original) A printing method according to claim 16, wherein said transporting means comprises a movable member installed so as to move or stop relative to a travel path for the print medium, and said movable member contacts, while moving, with the print medium in said travel path to transfer the print medium, and is held, while stopped, at a predetermined stabilized position normally.

18. (Original) A printing method according to claim 17, wherein said transporting means comprises a pair of rollers installed in the travel path for the print medium and opposite each other, roller urging means for urging said pair of rollers so that the rollers sandwich the print medium therebetween, and driving means for rotationally driving at least one of said pair of rollers.

Please add Claims 19 as follows:

--19. (New) A printing apparatus in which a printer performs a printing operation on a print medium and a transportation roller transports the print medium, the printing and said transportation being performed in sequence, said printing apparatus comprising:

a carriage on which the printer is mounted, the carriage and printer performing a printing operation while traveling in a direction crossing a direction in which the print medium is transported;

a carriage motor for driving said carriage; and

a transporting motor for driving said transporting roller;

cont  
at

wherein, at the time after said transporting roller completes the transportation and before the printer starts a printing, and in a condition of stopping the transporting motor, said carriage motor causes said carriage to move without performing a printing by the printer.--

---